




## Wilshire Planters GFRC with Greenscreen® Trellis

An attractive, easy-to-install solution for creating privacy or hiding unattractive elements like building systems. Lightweight GFRC concrete planter (available in colors and textures), and Greenscreen® trellis, framed on top and sides, with vertical supports to fit in planter lip. Trellis is available in various powder-coat colors.

# Wilshire Planters, GFRC with Greenscreen® Trellis


## WILSHIRE PLANTERS GFRC WITH GREENSCREEN® TRELLIS




Planter with Trellis

## THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit [tournesol.com/collections/wilshire](https://tournesol.com/collections/wilshire)




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round



Round with Toe Kick

## OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Accessory Pockets



TourneSeal




Drain Holes



Matching Saucer

# Wilshire Planters, GFRC with Greenscreen® Trellis

- Durable, lightweight GFRC planter with powder-coated Greenscreen® trellis. 2"W x 2"L x 3"D grid.
- Trellis vertical supports fit into planter lip and are secured with discrete stainless-steel fasteners.
- Trellis is framed on top and sides and extends to planter edge so adjacent planters form a seamless trellis wall.
- Select a Greenscreen Trellis color in addition to a GFRC color and texture. Standard drain holes included.



\* Add "-X" after product number to indicate optional offset mounting.

PRODUCT	LENGTH	WIDTH	HEIGHT OF PLANTER	TOTAL HEIGHT WITH TRELLIS	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	IRRIGATION
WCX2-481824-74	48"	18"	24"	74"	318	9.7	CWM-R1620-2k
WCX2-481830-80	48"	18"	30"	80"	355	14.6	CWM-R1620-2k
WCX2-481836-86	48"	18"	36"	86"	373	19.3	CWM-R1620-2k
WCX2-482424-74	48"	24"	24"	74"	353	12.3	CWM-R1620-2k
WCX2-482430-80	48"	24"	30"	80"	395	18.6	CWM-R1620-2k
WCX2-482436-86	48"	24"	36"	86"	490	24.7	CWM-R1620-2k
WCX2-721824-74	72"	18"	24"	74"	450	15	CWM-R1620-3k
WCX2-721830-80	72"	18"	30"	80"	510	22.5	CWM-R1620-3k
WCX2-721836-86	72"	18"	36"	86"	540	30.2	CWM-R1620-3k
WCX2-722424-74	72"	24"	24"	74"	490	13.3	CWM-R1620-3k
WCX2-722430-80	72"	24"	30"	80"	560	20.1	CWM-R1620-3k
WCX2-722436-86	72"	24"	36"	86"	700	27	CWM-R1620-3k
WCX2-961824-74	96"	18"	24"	74"	605	16.9	CWM-R1620-4k
WCX2-961830-80	96"	18"	30"	80"	685	25.6	CWM-R1620-3k
WCX2-961836-86	96"	18"	36"	86"	690	34.1	CWM-R1620-4k
WCX2-962424-74	96"	24"	24"	74"	625	20.2	CWM-R1620-4k
WCX2-962430-80	96"	24"	30"	80"	750	30.6	CWM-R1620-4k
WCX2-962436-86	96"	24"	36"	86"	925	40.7	CWM-R1620-4k