




Wilshire Planters GFRC with Laser-Cut Screen

An attractive, easy-to-install solution for creating privacy or hiding unattractive elements such as building systems. Available in lightweight GFRC concrete or FRP Fiberglass in all colors and textures. Steel laser-cut screen is available in all powder-coat finishes.

Wilshire Planters, GFRC with Laser-Cut Screen


WILSHIRE PLANTERS GFRC WITH LASER-CUT SCREEN




Planter with Laser-Cut Screen

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round



Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Accessory Pockets



TourneSeal



Drain Holes



Matching Saucer

Wilshire Planters GFRC with Laser-Cut Screen

Select one of the patterns shown at right or submit your own artwork.

Available in powder-coated or weathering steel.

Shown at right in 48"L x 48"H




**WCX-48 INCLUDES ONE
48"L x 48"H LASER-CUT SCREEN.**




**WCX-72 INCLUDES ONE
72"L x 48"H LASER-CUT SCREEN.**




**WCX-96 INCLUDES ONE
96"L x 48"H LASER-CUT SCREEN.**




Pattern 2 - 30% Open




Pattern 3 - 32% Open




Pattern 4 - 20% Open



Pattern 6 - 25% Open



Pattern 7 - 17% Open




Pattern 8 - 22% Open

CUSTOM PATTERN OPTIONS

Part No.	Description
WXS-LC	Custom laser-cut screen charge, varies by design and size
WXS Setup CAD	One-time setup charge for laser-cut screens, customer to provide CAD drawings
WXS Setup PDF	One-time setup charge for laser-cut screens, customer to provide PDF drawings

Wilshire Planters GFRC with Laser-Cut Screen

- Durable Glass Fiber Reinforced Concrete
- Laser-cut steel screen
- Standard patterns & custom available
- Hidden support brackets
- Drain holes standard



* When specifying offset mounting, add "-X" after product number. Example: WCX-481824-74 is centered mounting, and WCX-481824-74-X is offset mounting.

PRODUCT	LENGTH	WIDTH	HEIGHT OF PLANTER	TOTAL HEIGHT WITH SCREEN	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	IRRIGATION	LASER-CUT SCREEN
WCX-481824-74	48"	18"	24"	74"	378	11.5	CWM-R1620-2k	Options on previous page
WCX-481830-80	48"	18"	30"	80"	425	17.3	CWM-R1620-2k	Options on previous page
WCX-481836-86	48"	18"	36"	86"	484	23.1	CWM-R1620-2k	Options on previous page
WCX-482424-74	48"	24"	24"	74"	421	13.5	CWM-R1620-2k	Options on previous page
WCX-482430-80	48"	24"	30"	80"	474	20.2	CWM-R1620-2k	Options on previous page
WCX-482436-86	48"	24"	36"	86"	536	27	CWM-R1620-2k	Options on previous page
WCX-721824-74	72"	18"	24"	74"	536	13.5	CWM-R1620-3k	Options on previous page
WCX-721830-80	72"	18"	30"	80"	605	25.5	CWM-R1620-3k	Options on previous page
WCX-721836-86	72"	18"	36"	86"	703	34	CWM-R1620-3k	Options on previous page
WCX-722424-74	72"	24"	24"	74"	590	15	CWM-R1620-3k	Options on previous page
WCX-722430-80	72"	24"	30"	80"	664	22.6	CWM-R1620-3k	Options on previous page
WCX-722436-86	72"	24"	36"	86"	768	30.1	CWM-R1620-3k	Options on previous page
WCX-961824-74	96"	18"	24"	74"	718	18.8	CWM-R1620-4k	Options on previous page
WCX-961830-80	96"	18"	30"	80"	807	28.2	CWM-R1620-3k	Options on previous page
WCX-961836-86	96"	18"	36"	86"	901	37.7	CWM-R1620-4k	Options on previous page
WCX-962424-74	96"	24"	24"	74"	785	23.3	CWM-R1620-4k	Options on previous page
WCX-962430-80	96"	24"	30"	80"	879	35	CWM-R1620-4k	Options on previous page
WCX-962436-86	96"	24"	36"	86"	978	46.7	CWM-R1620-4k	Options on previous page