



Wilshire Planters Weathering Steel, Round


Weathering Steel planters offer a warm industrial aesthetic favored by many landscape architects. The natural red-orange oxidization forms a protective patina that develops and regenerates continuously. Our A588 and A606 grade steel planters are meticulously assembled and welded.

Weathering Steel or Pre-Weathered Steel

Our Weathering Steel ships with a natural mill scale finish. The initial oxidation develops within weeks and evolves over time. Pre-Weathered Steel products undergo an earth-friendly pre-treatment, which steps up the oxidation process timeline to help achieve the desired visual result faster.

Wilshire Planters, Weathering Steel, Round


WILSHIRE PLANTERS, WEATHERING STEEL ROUND




Round

THE COMPLETE WILSHIRE COLLECTION


For additional shapes and materials, visit tournesol.com/collections/wilshire




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round



Round with Toe Kick

OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension



Casters



Drain Holes



Toe Kick



False Bottom



Tie Downs



Pre-Weathering Treatment

Wilshire Planters, Weathering Steel, Round

Weathering Steel

Our Weathering Steel ships with a natural mill scale finish. The initial oxidation develops within weeks and evolves over time. Environmental conditions such as humidity, salt, and the temperature at installation can affect rust uniformity and formation rate. The color develops from a vibrant orange to a deep reddish-brown.

Pre-Weathered Steel

Our Pre-Weathered Steel products undergo an earth-friendly pre-treatment, which steps up the oxidation process timeline to help achieve the desired visual result faster.


Our process begins by grit-blasting the raw mill scale surface; next we treat it with an all-natural solution of hydrogen peroxide, vinegar, and salt. Treated products cure for a day before being individually wrapped in paper and then plastic before shipping.

Raw mill scale steel and treated surfaces can be powdery and may show markings during delivery and installation. These changes are affected by humidity levels and storage.

Weathering Steel products should be unwrapped upon arrival and stored indoors if possible. Shedding during unpacking and storing may occur; protect flooring during storage and installation.

TOP LIP

Wilshire Planters in Weathering Steel come with a standard lip return.



BASE OPTION


See Wilshire Weathering Steel Round with Toe-kick Planters, if toe kick is desired.

DRAINAGE

Drain Holes: Standard drain holes are 1-5/8" diameter, made free-of-charge at the factory.

Wilshire Planters, Weathering Steel Round

- Fully welded 12-gauge weathering steel
- Engineered to resist deformation
- Protective weathering patina
- Optional toe kick available
- Drain holes standard



| PRODUCT | SHAPE | DIA. | HEIGHT | WEIGHT (LBS.) | VOLUME (CUBIC FT.) | INTERIOR TOP | INTERIOR BOTTOM | IRRIGATION |
|-------------|-------|---------|--------|---------------|--------------------|--------------|-----------------|----------------------|
| WWS-WS1800F | Round | 18" dia | 20" | 52 | 3 | 15" dia | 14.5" dia | CWC-1216 |
| WWS-WS2400F | Round | 24" dia | 24" | 84 | 6 | 21" dia | 20.5" dia | CWC-1600/CWM-1114-2k |
| WWS-WS3000F | Round | 30" dia | 27" | 117 | 11 | 27" dia | 25.5" dia | CWC-2400/CWM-1720-2k |
| WWS-WS3600F | Round | 36" dia | 30" | 163 | 17 | 33" dia | 31.5" dia | CWM-1720-3k |
| WWS-WS4200F | Round | 42" dia | 33" | 210 | 26 | 39" dia | 37.5" dia | CWM-1720-3k |
| WWS-WS4800F | Round | 48" dia | 36" | 261 | 37 | 45" dia | 43.5" dia | CWM-2920-3k |
| WWS-WS6000F | Round | 60" dia | 36" | 347 | 57 | 57" dia | 55.5" dia | CWM-2920-4k |
| WWS-WS7200F | Round | 72" dia | 42" | 489 | 96 | 69" dia | 67.5" dia | CWM-2920-5k |