



## Wilshire Planters Weathering Steel, Round with Toe Kick


Weathering Steel planters offer a warm industrial aesthetic favored by many landscape architects. The natural red-orange oxidization forms a protective patina that develops and regenerates continuously. Our A588 and A606 grade steel planters are meticulously assembled and welded.

### Weathering Steel or Pre-Weathered Steel

Our Weathering Steel ships with a natural mill scale finish. The initial oxidation develops within weeks and evolves over time. Pre-Weathered Steel products undergo an earth-friendly pre-treatment, which steps up the oxidation process timeline to help achieve the desired visual result faster.


# Wilshire Planters, Weathering Steel, Round with Toe Kick

WILSHIRE PLANTERS,  
WEATHERING STEEL  
WITH TOE KICK




Round with Toe Kick


THE COMPLETE WILSHIRE COLLECTION  
For additional shapes and materials, visit  
[tournesol.com/collections/wilshire](https://tournesol.com/collections/wilshire)




Rectangle




Hanging Box




Trellis, Laser-Cut Screen



Square



Toe Kick



Round



Round with Toe Kick

## OPTIONS

Standard Wilshire Planters can be modified with a broad array of options without incurring custom charges. Options are limited to those products that can support them. Speak to a Tournesol Advisor to discuss which options will work with your project.



Irrigation



Change Dimension



Casters



Drain Holes



False Bottom



Tie Downs



Pre-Weathering  
Treatment

# Wilshire Planters, Weathering Steel, Round with Toe Kick

## Weathering Steel

Our Weathering Steel ships with a natural mill scale finish. The initial oxidation develops within weeks and evolves over time. Environmental conditions such as humidity, salt, and the temperature at installation can affect rust uniformity and formation rate. The color develops from a vibrant orange to a deep reddish-brown.

## Pre-Weathered Steel

Our Pre-Weathered Steel products undergo an earth-friendly pre-treatment, which steps up the oxidation process timeline to help achieve the desired visual result faster.


Our process begins by grit-blasting the raw mill scale surface; next we treat it with an all-natural solution of hydrogen peroxide, vinegar, and salt. Treated products cure for a day before being individually wrapped in paper and then plastic before shipping.

Raw mill scale steel and treated surfaces can be powdery and may show markings during delivery and installation. These changes are affected by humidity levels and storage.

Weathering Steel products should be unwrapped upon arrival and stored indoors if possible. Shedding during unpacking and storing may occur; protect flooring during storage and installation.


## TOP LIP

Wilshire Planters in Weathering Steel comes with a standard lip return.



## BASE OPTION

See Wilshire Planters in Weathering Steel Round if no Toe Kick is desired. Wilshire Weathering Steel Planters are available with a toe kick option.



WWR-RE


Toe kick option  
2"H bottom reveal

## DRAINAGE

Drain Holes: Standard drain holes are 1-5/8" diameter, made free-of-charge at the factory.

# Wilshire Planters Weathering Steel, Round with Toe Kick

- Fully welded 12-gauge weathering steel
- Engineered to resist deformation
- Protective weathering patina
- Toe kick visually lifts planter
- Drain holes standard



PRODUCT	SHAPE	DIA.	HEIGHT	WEIGHT (LBS.)	VOLUME (CUBIC FT.)	INTERIOR TOP	INTERIOR BOTTOM	IRRIGATION
WWS-WS1800	Toe Kick Round	18" dia	20"	52	3	15" dia	14" dia	CWC-1216
WWST-WS1800	Toe Kick Round, Tall	18" dia	30"	71	4	15" dia	14" dia	CWI-1200
WWS-WS2400	Toe Kick Round	24" dia	24"	84	6	21" dia	20" dia	CWC-1600/CWM-1114-2k
WWST-WS2400	Toe Kick Round, Tall	24" dia	48"	147	12	21" dia	20" dia	CWI-1700
WWS-WS3000	Toe Kick Round	30" dia	27"	117	11	27" dia	26" dia	CWC-2400/CWM-1720-2k
WWST-WS3000	Toe Kick Round, Tall	30" dia	54"	209	21	27" dia	26" dia	CWI-2200
WWS-WS3600	Toe Kick Round	36" dia	30"	163	17	33" dia	32" dia	CWM-1720-3k
WWS-WS4200	Toe Kick Round	42" dia	33"	210	25	33" dia	32" dia	CWM-1720-3k
WWS-WS4800	Toe Kick Round	48" dia	36"	261	36	45" dia	44" dia	CWM-2920-3k
WWS-WS6000	Toe Kick Round	60" dia	36"	347	56	57" dia	56" dia	CWM-2920-4k
WWS-WS7200	Toe Kick Round	72" dia	42"	489	94	69" dia	68" dia	CWM-2920-5k